



TE **Techn** *Engineering*



**303 Privilege Avenue, Opp. Isha Hospital Sarabhai
Campus, Vadiwadi, Vadodara, Gujarat, India -390007**



www.techengg.co.in



info@techengg.co.in





+91 8866813777





techengg.baroda@gmail.com

GL FLUSH BOTTOM OUTLET VALVE



SIZE	A	B	C	D	E	F	K	L1	L2	PCD	N x Ø
102/76	100	76	210	32	393	25	43	150	180	152	4 x 8
150/100	150	100	270	40	450	25	45	191	231	180	4 x 8

GL FLUSH BOTTOM OUTLET VALVE (SS)



SIZE	A	B	C	D	E	F	K	L1	L2	PCD	N x Ø
102/76	100	76	210	32	393	25	43	150	180	152	4 x 8
150/100	150	100	270	40	450	25	45	191	231	180	4 x 8

GL BELLOW SEALED F B O V




AVAILABLE IN SIZES

80 X 50 NB

100 X 80 NB


150 X 100 NB

GL DIAPHRAGM VALVE




NB	Dø		Kø		Bø		N x Dø		F	L	H1	H
mm	PN 10	ANSI 150	PN 10	ANSI 150	PN 10	ANSI 150	PN 10	ANSI 150				
25	115	108	85	79.5	-	-	4 x 14	4 x 15	74 x 78	127	-	105
40	150	127	110	98.5	88	80	4 x 18	4 x 15	96 x 100	159	95	140
50	165	152	125	121		100	4 x 18	4 x 19	108 x 125	191	135	171
80	200	191	160	152	138	130	8 x 18	8 x 19	184 x 156	254	189	238
100	220	229	180	191	158	158	8 x 18	8 x 19	230 ø	305	228	318
150	285	279	240	241	212	212	8 x 23	8 x 23	310 ø	406	270	357

GL REDUCING FLANGE




NB		NB1	25	32	40	50	65	80	100	125	150	200
MM	INCH		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"
32	1 1/4"		35									
40	1 1/2"		35									
50	2"			35								
65	2 1/2"				35							
80	3"	L1				35						
100	4"						45					
125	5"							45				
150	6"								45			
200	8"									45		
250	10"										45	

GL PIPE




NB		Length (L) In mm											
MM	INCH	L											
25	1"												
32	1 1/4"												
40	1 1/2"												
50	2"	100											
65	2 1/2"												
80	3"												
100	4"		150	200	250	300	400	500					
125	5"							600					
150	6"								700	800			
200	8"										900	1000	
250	10"												1200
300	12"												1500
400	16"												
500	20"												2000

FLANGED T-PIECE WITH REDUCED CONNECTION




NB		NB1	25	32	40	50	65	80	100	125	150	200	250
MM	INCH		L	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"
32	1 1/4"	200		95									
40	1 1/2"	210		95	100								
50	2"	230		100	105	110							
65	2 1/2"	240		105	110	115	120						
80	3"	270		115	120	125	130	135					
100	4"	310		125	130	135	140	145	150				
125	5"	350	L1	140	145	150	155	160	165	170			
150	6"	390		155	160	165	170	175	180	185	190		
200	8"	520		185	190	195	200	205	210	215	220	225	
250	10"	630		230	235	240	245	250	255	260	265	270	275
300	12"	700		220	225	230	235	240	245	255	260	270	310
400	16"	900		270	275	280	285	290	295	305	310	320	360
500	20"	1100		320	325	330	335	340	345	355	360	370	410

GL FLANGED T -PIECE




NB		L	L1
MM	INCH		
25	1"	180	90
32	1¼"	200	100
40	1½"	210	105
50	2"	230	115
65	2½"	240	120
80	3"	270	135
100	4"	310	155
125	5"	350	175
150	6"	390	195
200	8"	520	260
250	10"	630	315
300	12"	700	350
400	16"	900	450
500	20"	1100	550

GL FLANGED ELBOW 90°




NB		L	R
MM	INCH		
25	1"	90	63
32	1¼"	100	73
40	1½"	105	78
50	2"	115	88
65	2½"	120	95
80	3"	135	115
100	4"	155	101
125	5"	175	127
150	6"	195	152
200	8"	260	203
250	10"	315	255
300	12"	350	305
400	16"	450	406
500	20"	550	508

GL REDUCER




NB		NB1	25	32	40	50	65	80	100	125	150	200	250	300	400
MM	INCH		1"	1¼"	1½"	2"	2½"	3"	4"	5"	6"	8"	10"	12"	16"
32	1¼"		140												
40	1½"		140												
50	2"		140												
65	2½"			150											
80	3"				160										
100	4"					175									
125	5"						200								
150	6"							225							
200	8"								250						
250	10"									300					
300	12"										350				
400	16"											450			
500	20"												550		

GL FLANGED CROSS




NB		L	R
MM	INCH		
25	1"	180	90
32	1¼"	200	100
40	1½"	210	105
50	2"	230	115
65	2½"	240	120
80	3"	270	135
100	4"	310	155
125	5"	350	175
150	6"	390	195
200	8"	520	260
250	10"	630	315
300	12"	700	350
400	16"	900	450
500	20"	1100	550

GL MANWAY COVER & PROTECTION RING



AVAILABLE IN SIZES

250 NB
350 X 450 NB
500 NB



AVAILABLE IN SIZES

250 NB
350 X 450 NB
500 NB

GL AGITATOR



➡ We provide MSGSL Agitator of following types up to size 32KL.

1. Single Flight/ Multi Flight Impeller Agitator
2. Flat Blade Turbine Agitator
3. Anchor type Agitator
4. Curved Blade Turbine Type Agitator
5. Pitched Blade Type Agitator
6. Retreat Curve Type Agitator

GL BAFFLE



➡ We provide MSGSL Baffle upto size 32KL.